









دائرة اللوازم والعطاءات والمشتريات Supplies Department الزرقاء - الأردن Zarqa - Jordan

اعلان تمديد طرح عطاء

آخر موعد لتقديم العروض	آخر موعد لبيع نسخة العطاء	ثمن النسخة غير مستردة	نوع العطاء	رقم دعوة العطاء	المرقم				
17/04/2025	16/04/2025	خمسون دینار (50)	الخاص بتوريد وتشغيل أجهزة حماية الشبكة	529/2025	1				



أ) ارفاق نسخة عن رخصة مهن سارية المفعول وشهادة غرفة التجارة والسجل التجاري.

ب) ارفاق كفالة دخول عطاء5%

ج) ارفاق ايصال الدفع (ثمن نسخة العطاء) مع عرض السعر.

د) يلتزم المناقص بأسعاره لمدة 120يوما .

هـ) مراجعة موقع الجامعة للإطلاع على المزيد و التقاصيل والمواصفات www.zu.edu.jo

و) للأستقسار والتواصل الرجاء الاتصال على هاتف رقم 053821100 فرعي 1183

ملاحظة : ثمن تسخة الاعلان على المحال عليه مهما تكرر الاعلان .





جامعة الزرقاء

Zarqa University



دائرة اللوازم والعطاءات والمشتريات الزرقاء – الأردن

Supplies Department Zarga – Jordan

دعوة العطاء المركزي رقم(2025/529) الخاص بــــ الخاص بتوريد وتشغيل أجهزة حماية الشبكة

إلى السيد/ السادة،،،

ملحوظات هامة:

جامعة الزرقاء بحاجة إلى اللوازم/ الخدمات المبينة أعدادها ومواصفاتها على الجداول المرفقة، وترجو أن تدعوكم لتقديم عرضكم لتوريد هذه اللوازم / الخدمات وفق التعليمات والشروط العامة والخاصة والمواصفات المرفقة بهذه الدعوة في موعد لا يتجاوز الساعة (3) بعد ظهر يوم آخر موعد لاستقبال العروض حسب الإعلان المرفق ، هذا وتشترط اللجنة للنظر في العطاء أن يظل العرض قائما لمدة (120) يوما من الموعد المحدد آنفا وسوف لا تنظر اللجنة في أي عرض يقدم إليها بعد هذا الموعد.

رئيس الجامعة

رئيس الجامعة

بناءا على طلب دعوة العطاء المركزي (2025/529) ووفقا للتعليمات والشروط العامة والخاصة والمواصفات المرفقة

ها أقدم عرضىي وأوافق على أن أقوم بتوريد كل أو بعض اللوازم/ الخدمات المعروضـة بالأسعار وشروط التسليم
لمواصفات المبينة بهذا العرض.
نني التزم بأن يظل العرض قائما لمدة () يوما اعتبارا من (/ /)
مم الشركة / المؤسسة
بتمثيل مؤسستنا في كافة الإجراءات والتبليغات المتعلقة بهذا العرض لدى
امعتكم الموقرة مع بقاء مسؤوليتنا المالية والإدارية قائمة.
مفوض بالتوقيع
ىم المناقصخاتم الشركة
عنوان:الرمز البريديص.بالرمز البريدي
ائففاکسفاکسفاکس
قيمة النهائية للعرض
مة (كفالة / الشيك مصدق) دخول العطاء بنسبة 5%

- يجب أن يعبأ هذا النموذج بالكامل ويرفق بالعرض عند تقديمه إلى دائرة اللوازم وغير ذلك لن يتم النظر فيه.
 - يجب إرفاق شيك مصدق أو كفالة بنكية بقيمة 5% من العطاء تأمين حق دخول العطاء.
 - يجب إرفاق السجل التجاري مبينا فيه المفوض بالتوقيع .
 - بفضل تقديم عينة إلى مديرية اللوازم إذا لزم الأمر.
- يقدم المتعهد عرضة على هذا النموذج فقط مختومة بالختم الاصلى معتمد لغاية إعداد القرار +يجب ارفاق العرض بCD .
- أي اضافة أو أو تعديل أو أو الغاء على اي شرط من شروط والمواصفات العطاء في عرض السعر تعتبر الاغية الا بموافقة خطية من لجنة العطاءات المركزية.



جامعة الزرقاء



Zarqa University

دائرة اللوازم والعطاءات والمشتريات الزرقاء – الأردن

طلب اسعار

		إلى السيد / السادة
ة أدناه، وذلك على أساس	صوص توريد البنود المتوفرة لديكم و الموضحا	نرجو منكم تقليم أسعاركم بخط

آخر موعد لتقديم العرض يوم الخميس 2025/04/17 الساعة (3) بعد الظهر

ملاحظات: - يجب أن يكون السعر شامل				
الضريبة (ذكر بلد المنشأ، اسم الشركة الصانعةالخ)	دينار	فلس .	المواصفات	الرقم
			<u>توريد وتشغيل أجهزة حماية الشبكة</u> حسب الكشف المرفق	1

الجامعة غير ملزمة بشراء كافة البنود المذكورة أعلاه من مصدر واحد	
م المناقص:مدير ال	سم
ن المناقص :	ىنوان
ت المناقص : هاتف رقم() فاكس رقم() فاكس رقم() خلوي رقم()	بانات
E-ma) البريد الالكتروني للمناقص()	ail
ع وختم المناقص : عند المناقص :	وقيع
وظات هامة	لحو

- يجب أن يعبأ هذا النموذج بالكامل ويرفق بالعرض عند تقديمه إلى دانرة اللوازم وغير ذلك لن يتم النظر فيه.
 - يجب إرفاق شيك مصدق أو كفالة بنكية بقيمة 5% من العطاء تأمين حق دخول العطاء.
 - يجب إرفاق السجل التجاري مبينا فيه المفوض بالتوقيع .
 - بفضل تقديم عينة إلى مديرية اللوازم إذا لزم الأمر
- يقدم المتعهد عرضة على هذا النموذج فقط مختومة بالختم الاصلي معتمد لغاية إعداد القرار +يجب ارفاق العرض ب-CD .
- أي اضافة أوارو تعديل أوارو الغاء على اي شرط من شروط والمواصفات العطاء في عرض المعر تعتبر الاغية الا بموافقة خطية من لجنة العطاءات المركزية.

962 - 3821115 فاكس: 2000 من بـ 2000 الرمز البريدي : 13110 الزرقاء – الأردن هاتف : 962 - 962 - 962 فاكس: 2000 P.O.Box: 2000 Code No. 13110 Zarka – Jordan Tel: 962-5-3821100 Fax: 962-5-3821115 E-MAIL Tenders@zu.edu.jo





جامعة الزرقاء عطاء توريد وتشغيل أجهزة حماية الشبكة (Internet & Data Center Firewalls , WAF, Other) 2025 Huawei, Fortinet, Palo Alto, and F5 as these companies have kindly contributed to the preliminary study phase of this tender.

General Terms and Conditions:

- 1- A site survey is recommended before providing the financial offer.
- 2- Delivery time may be taken into consideration.
- 3- The price must include all licenses and additional fees.
- 4- Include all necessary official approvals and procedures.
- 5- Any additional services or technical options should be mentioned in the price quote and technical proposal as optional and listed separately, with detailed financial and technical information (may be considered by the technical department).
- 6- The university reserves the right to cancel (all) or any item(s) in the table above after reviewing the technical proposals and price quotations.
- 7- Bidders must submit a price quotation that includes the cost of the required materials and licenses, providing two options for the license duration: 3 years and 5 years.
- 8- The Bidder must adhere to a 24/7 Support and Maintenance Agreement throughout the license duration, to be drafted in Arabic, which includes immediate response to any failures, provision of technical consultations, regular maintenance, and necessary updates.
- 9- The Bidder is committed to providing one or more training courses for the technical staff at the computer center, consisting of 5 engineers. The training should cover all the features and technologies offered by the system in a professional manner.
- 10-The bidder must attach a High-Level Design (HLD) document for the project, detailing the integration of the various project components with the local network, their interconnections, and the connectivity of the three schools within the university and the ZEIC Company.
- 11-All materials, systems, licenses, and their associated components, such as DAC Cables and SFP, are guaranteed throughout the license duration by both the manufacturer and the local company.
- 12-The Bidder awarded the contract is committed to providing a temporary firewall device or temporary licenses to operate the service at the university until the delivery time.

- 13-The Bidder is responsible for installing, operating, and programming all devices and systems in the best possible way, ensuring the utilization of all features and technical services, tracking any issues that arise, and resolving them. Technical acceptance will only be granted upon receipt of a written approval from the university's technical department. The contractor is also responsible for covering any costs related to shortages in any material or license required for this purpose.
- 14-The Bidder shall clearly define the scope of work to be covered, and the technical department's evaluation will be based on this. The scope should be explained through detailed network diagrams.
- 15-A Proof of Concept (POC) may be requested from any Bidder prior to the award.
- 16-The university reserves the right to purchase parts of the tender from more than one company if it deems necessary for its best interest.
- 17-The company shall submit an executive plan for the project implementation, outlining the method of connection between the project components, the university network, its schools, and the internet lines provided by the telecommunications company. The plan must be approved by the Vendor, which will oversee the implementation closely. Upon completion, the company shall send a confirmation letter to the university, certifying that the implementation has been carried out correctly, with the Vendor's guarantee.
- 18-The final delivery time of the project should be specified, and it will be taken into consideration
- 19- The bidder must provide details of previous projects they have executed, which are similar in size and design to our university project.
- 20-The university is not obligated to purchase based on the principle of the lowest compliant bid, but rather according to the financial and technical evaluation criteria.





- Quantity: 2
- Use as Internet Firewall & Datacenter Firewal! (Must function as the data center NGFW for all DMZs at Zarqa University. Additionally, it must serve as the segmentation NGFW for all user VLANs at Zarqa University. Furthermore, it must act as the perimeter NGFW for all WAN and broadband links at Zarqa University)
- Support HA (Active/Active, Active/Passive)

NO	Description	Comply (Yes/No/Partial)	Notes /Remarks	
	Performance Spe	cific		
1.	Next Generation Firewall Throughput 20 Gb	ps		
2	Min Threat Protection/Prevention 15 Gb	os		
3.	Min IPsec VPN Throughput 10 Gb	ps		
4.	IPS Throughput 10 Gb	ps		
5	Concurrent sessions Up to 2.5 mil	ion		
6.	New session /second Up to 200,	000		
7.	Min support Active Virtual Firewalls 5			
8.	VLANs Supported Up to 10	00		
	Technical Specification	catio	ns	
	Fully integration Antivirus, Anti-Malware, IPS, W	eb		
9.	and Content Filtering based on categories, DNS			
	Security, Anti-DDOS, and application control			
	The proposed firewall must be able to provide			
10	Machine Learning algorithms for advanced			
	protection directly from firewall			
11	Provide inline prevention against unknown			
11	malware.			
12	The Proposed solution should be Data Center an	d		
12	Internet firewall with L7 capabilities			
13	The Proposed solution must support SSL traffic			
13	inspection to protect from encrypted attacks			
	The Proposed solution shall support integration			
14	with LDAP, RADIUS, TACACS+, Two Factor			
	Authentication			

15	Support NAT using static IP, dynamic IP, and PAT	
16	Command Line Interface (CLI)	SIGL
17	Built-in web interface (GUI)	
	Hardware Specificat	ions
40	Min 4 x 10GE SFP+, Min 8 x 1 GE RJ45,	
18	Min 4 x 25G SFP28 ports	
19	Hot-swappable Redundant AC power supplies	
20	Solution must include 4 x 10G SFP+ transceivers	
20	and 4 X SFP28 25G transceivers	
21	Include 480 GB SSD Storage	
	High Availability	
	The Proposed solution should support	
22	Active/Passive (Standby), Active/Active (Load	
	Sharing)	
	Alerting & Report	S
23	The proposed firewall should have integrated	
23	reporting capabilities requiring	
24	Provides visualized and multi-dimensional reports	
	by IP address, application, time, traffic or threat	
25	The proposed firewall should support logging and	
	reporting mechanism to generate reports	
26	The proposed firewall should have the ability to	
	store the logs for more than 30 days	
27	The proposed firewall must be able to send alerts	
	to external targets Syslog Server Solution offering must include external logging	
	repository to collect logs from all mentioned	
28	solutions for the sake of event correlation and IOC	
	investigation	
	Required Licenses	S
	The Units include IPS, Advanced Malware	
20	Protection, Application Control, URL Filtering, DNS	
29	Filtering, Video Filtering, Antispam Service, Cloud	
	Sandbox, and a hardware warranty subscription.	
30	The solution must include secure mobile-based	
30	authentication for enhanced access security. QTY 5	



2-Reporting System

- Quantity: 1

NO	Description	Comply	Notes
NO	Description	(Yes/No/Partial)	/Remarks
1	The proposed system should be by same vendor of		
	NGFW		
	The proposed appliance shall minimally provide		
2	management access through: HTTPs (Web-based),		
	Console port, CLI and SSH. The proposed system shall provide real time		
	system status and events view, presented the		
	information in simple, intuitive tables and graphs.		
	At minimal should have:		
3	CPU utilization		
	Memory utilization		
	 Number of sessions 		
	Network utilization		
4	Event Correlation & Advanced Threat Detection		
5	Centralized Search and Report across all security		
	logs from different registered security devices		
6	Real-time & Historical Views of Network Activity		
7	Log Forwarding for Third-Party Integration		
8	The solution must support a maximum number of		
	days for analytics, not less than 30 days		
9	The solution must be in rackmount form factor		
10	The solution must include minimally 8 TB of		
	Storage capacity		
11	The solution must support software-based RAID 0 and RAID 1		
12			
	Min 2 x 1 GE RJ45 ports		
13	Hot-swappable Redundant AC power supplies		
	The Unit must include the indicators of		
14	Compromise Service, Security automation service license, Outbreak Detection service, and a		
	hardware warranty subscription		
	naraware warranty subscription		



3-Web Application Firewall (WAF)

- Quantity: 1

NO		Comply	Notes						
NO	Description	(Yes/No/Partial)	/Remarks						
	System Specifications								
1	The device should have a minimum WAF throughput of 1 Gbps.								
2	The System must support 15K TPS (2K SSL TPS)								
3	Number of Websites Supported at least 60								
4	Optimized encrypted traffic with full TLS 1.3 support								
5	Automated patching and alerts for outdated or vulnerable software components								
6	The device should support an unlimited number of application licenses								
7	Comprehensive logging and anomaly detection to identify potential security events in real-time								
8	Network latency should be less than 5 ms								
9	The device must feature hardware SSL/TLS processing								
10	The system must be deployable in full reverse proxy, transparent proxy, and bride modes								
11	Authentication types must be supported								
12	The System should support bypass ports								
	Technical Specification	IS							
13	Application Attack Protection: OWASP Top 10. Cross Site Scripting. SQL Injection. Cross Site Request Forgery. Built-in Vulnerability Scanner. Third-party scanner integration (virtual patching)								
14	Protection against SQL injection, command injection and LDAP injection								
15	Web Security includes: Automatic profiling (whitelisting), Web server and application signatures (blacklist), IP Reputation, Http RFC compliance								
16	safeguards against deserialization attacks through input data validation								
17	Should support customizable DoS policies								

		الراد الم
18	API protection and Bot Mitigation should be included	Barre
19	Management and reporting functionalities should be provided	Olg
20	File upload scanning with AV and sandbox - Machine Learning based Bot Mitigation - Biometrics based Detection - Threshold based Detection - Bot Deception - Know Bots	
21	The system should have OWASP top 10 dashboard to evaluate the configured WAF policy based on OWASP top 10 attacks. And allow direct change from the OWASP dashboard to enhance the security level for the WAF policy.	
22	The solution should have multiple signatures sets with adjustable levels (High, Medium, Low) tailored to the risk tolerance and environment. And it should have signature set based on backend system technology.	
23	The system should automatically detect the server technology on the server-side applications, frameworks, programs, web servers, operating systems, and so on, and should associate automatically one or more sets of attack signatures relevant to the server technology.	
24	Command Line Interface (CLI)	
25	Built-in web interface (GUI)	
	Hardware Specifications	
26	Min 4 x 1GE SFP, Min 4 x 1 GE RJ45 ports	
27	Redundant AC power supplies	
28	Redundant fans	
29	The device must be equipped with a minimum storage capacity of 480 GB SSD	
	Required Licenses	
30	WAF solution should have all the required features and licenses	



4-Optional Items

Cloud WAF

The Bidder has the choice to propose SaaS solutions that can cover the below:

- 1- Cloud Web Application firewall to enforce security police across clouds and on-prime
- 2- Mitigate app-based (layer 7) and volumetric (layer 3) DDoS attacks
- 3- Detect and mitigate malicious bot attacks in real-time
- 4- Automatically discover API endpoints, allow legitimate transactions, and monitor for anomalous behavior

Cloud Anti-Spam (3 years or 5 years) for 1000 Office365 Mailboxes

- 1- The solution should support both Inbound and Outbound Filtering for complete Email Security.
- 2- The solution must provide real-time virus outbreak protection to detect and respond to new threats instantly.
- 3- The solution should offer Message Tracking and Reporting for visibility into email security events.
- 4- Should ensure secure massage delivery via TLS, maintaining end-to-end encryption.

Endpoint for 1000 Licenses (1 year or 3 years)

- 1- The solution should be platform-compatible, supporting Windows, macOS, and Linux.
- 2- Must support scalable and flexible deployment with a modular, lightweight agent.
- 3- The solution should automate endpoint quarantine and ransomware protection to prevent advanced threats.
- 4- The solution should support vulnerability assessment and patch management for proactive risk mitigation.
- 5- Must include removable media control to prevent unauthorized data access.
- 6- Must provide real-time dashboards and software inventory management for visibility and control.

PAM (Privileged Access Manager) solution for 8 users

- 1- The solution should discover and assess the current environment, including privileged accounts and access control mechanisms.
- 2- Implement robust access control policies using a PAM solution that supports role based and time-based access control.
- 3- Secure and protect critical systems by blocking unauthorized access and enabling session recording
- 4- The solution should have an integration with Active Directory.
- 5- The solution must support auto monitoring and recording features to view the actions performed through privileged sessions without notifying the connected user.

WAN Switches QTY 2

This is intended to connect the service lines from the ISP to the NGFW devices a cording to your design.

5-Forms

> Mandatory Items

				3 Y	ears	5 Y	ears
ш	ltom	Description	OTV	Unit	Total	Unit	Total
#	Item	Description	QTY	Price	Price	Price	Price
1	NGFW with all Licenses,		2	Topical Constitution of the Constitution of th			
1	DACs, SFPs and accessories						
2	WAF with all Licenses, DACs,		1				
	SFPs and accessories						
3	Reporting Appliance		1				
	Other						
	Total		,411				

➤ Optional Items

#	ltem	Description	QTY	Unit Price	Total
1	·				
2					
3					
		2			
Total					

للاستفسار والتواصل: م. محمود نور 0796429695

جامعة الزرقاء- دائرة اللوازم والمشتريات والعطاءات "الشروط الخاصة بالعطاءات المركزية*

 1. يطلب منكم تقديم أسعاركم بخصوص توريد البنود المتوفرة لديكم و الموضحة في طلب الأسعار وذلك على أساس تسليم في الموقع التي تحدده الجامعة.

2. الجامعة غير ملزمة بالاحالة كافة البنود المذكورة في طلب الأسعار من مصدر واحد.

3. للجامعة الحق في الأحالة على أساس الأرخص أو الآغلى، الأجود، الأنسب، الوحيد وغير ملزمة بالإحالة على الأرخص وإن وجدت الاسعار المقدمه عالية أو لا تتناسب مع التقديرات الموضوعه لتلك اللوازم أو الاشغال، فلها ان تقوم بأي من الاجراءات التالية حسبما تراه مناسبا لمصلحة الجامعة:

أ) التفاوض مع مقدم أرخص الاسعار ؛ لتخفيضها الى مقدار الذي تراه مناسبا

ب) الغاء العطاء والتفاوض مع الذين اشتركوا فيه ومع غيرهم ؛ للحصول على سعر أقل وتلزيم اللوازم أو الأشغال بموجبه.

ج) إعادة طرح العطاء.

4. يُجب إرفاق شيك مصدق أو كفالة بنكية بقيمة 5% من قيمة العرض تأمين حق دخول العطاء.

- 5. في حال تمت الإحالة على المتعهد يطلب من المتعهد في حالة عدم التسليم الفوري(التسليم الفوري يعني تسليم اللوازم خلال عشرة أيام عمل من تاريخ التبليغ لقرار الإحالة) تقديم كفالة حسن تنفيذ بنسبة 10% من قيمة الإحالة ويفرج عن كفالة الدخول للعطاء بعد التبليغ النهائي للمتعهد المحال عليه ويقدم المتعهد أيضا كفالة صياتة بنسبة 5% من قيمة اللوازم التي تتطلب ذلك (ويمكن اعتماد كفالة الدخول كفالة صياتة ولكن بكتاب تغطية من البنك الصادرة عنه مع تمديد مدة صلاحيتها لمدة الصياتة المجانية الواردة في قرار الإحالة) ويفرج عن كفالة حسن التنفيذ بعد استلام كفالة الصيانة وبعد حصول المتعهد على كتاب من الجهة الطالبة في الجامعة موجه إلى دائرة اللوازم والمشتريات والعطاءات يفيد بالاستلام النهائي دون وجود نواقص او مشاكل فنية.
 - 6. يجب الالتزام بتعبئة النماذج المرفقة بدعوة العطاء وللجنة الحق بإهمال العرض في حالة عدم التقيد بذلك وفي حال وجود عدة خيارات لنفس المادة تحسب كفالة الدخول على الخيار الأعلى سعرا.
 - 7. تقديم عرضكم لتوريد هذه اللوازم / الخدمات وفق المواصفات المرفقة بهذه الدعوة في موعد لا يتجاوز الساعة
 - (3) بعد ظهر يوم آخر موعد لاستقبال العروض حسب نموذج الإعلان عن دعوة العطاء.
 - عينة إلى دائرة اللوازم- شعبة العطاءات إذا ذكر ذلك في نموذج طلب الأسعار.
 - 9. يقدم المتعهد عرضة على نسخة واحدة فقط مختومة أصلية غير مصورة تعتمد لغاية إعداد القرار +يجب ارفاق العرض بCD.
- 10. في حال كان العطاء يتعلق بتقديم المتعهد لخدمة الطعام أو الشراب فلا يجوز ولا يقبل منه إحتكار هذه الخدمة أو إشتراط إحتكارها في العرض المقدم منه.
- 11. في حال تخلف أو إستنكف المتعهد المحال عليه العطاء فللجامعة الحق بمصادرة أية ضمانات مالية أو لوازم عينية للمتعهد لدى الجامعة وأيضا إعادة طرح العطاء مرة أخرى وتحميله فروق الأسعار إن وجدت والعود عليه بالعطل والضرر الواقع على الجامعة نتيجة إستنكافه أو تخلفه وحرماته من الإشتراك في عطاءات الجامعة لمدة لا تقل عن سنة واحدة.
 - 12. يقوم المتعهد المحال عليه العطاء وتجنبا للغرامات بدفع الطوابع المقررة خلال المدة القانونية (10عشرة أيام) من تبليغ القرار لدى وزارة المالية حيث يتم تزويد الجامعة بوصل الطوابع عند تقديم الفواتير المتعلقة باللوازم المسلمة للجامعة.
 - 13. يتحمل المتعهد المحال عليه العطاء مسؤولية التأخير في صرف قيم الفواتير المقدمة منه في حال كانت الوثائق المطلوبة في قرار الإحالة وفي هذه الشروط الخاصة بالعطاءات غير مستكملة.
 - 14. فصل العرض المالي عن العرض الفني.
 - 15. اجور الاعلان على من يرسو عليه العطاء .
 - 16. ارفاق شهادة تسجيل وسجل تجاري والتغييرات التي تحدث على السجل التجاري ان وجدت ورخصة مهن وصورة عن هوية الاحوال المدنية للشخص المفوض بالتوقيع .

	ضه	يفو	من	ا أو	المتعهد ا	أسىم
--	----	-----	----	------	-----------	------

17. يمكن سحب صورة من نسخة العطاء من الموقع وتعبئتها وتوقيع على كل نسخةو ختمها وتسليمها حسب الاصول .

- 18. يمكن دفع ثمن نسخة العطاء في اي فرع من فروع البنك العربي الاسلامي الدولي على حساب رقم 500/828 فرع جامعة الزرقاء وتسليم الوصل عند تسليم العطاء .
 - 19. تسلم العروض في دائرة اللوازم لشعبة العطاءات مكتب رقم 32. اي استفسار الاتصال على 053821100 / فرعي 1183

"قمت بقراءة الشروط المذكورة أعلاه حيث أنني	ے موافق د	عليها و أا	ألتزم بتنف	<u>ذها</u> .	
سم المتعهد / أو من يفوضه					
لتوقيع:	بتاريخ	/	·		م



تسلم العروض لشعبة العطاءات مكتب رقم 32 في مبنى دائرة اللوازم والخدمات العامه في الجامعة علما بأن آخر موعد لتسليم العروض يوم الخميس 2025/04/17 قبل الساعة الثالثة بعد الظهر

يتم طباعة نسخة العطاء من الموقع وتعبئتها حسب الأصول وختمها بالختم الأصلي ملحظة: ثمن نسخة العطاء موضحه في الاعلان

يتم دفع ثمن نسخة العطاء في أي فرع من فروع البنك العربي الاسلامي على حساب رقم 500/828 فرع جامعة الزرقاء

تسلم صوره عن وصل الايداع عند تسليم نسخة العطاء للإستفسار بخصوص العطاءات الاتصال على رقم السيد خلف البرايسه 0777490452